Part#	CE-H26411-S1	CE-H26511-S1	CE-H26T11-S1	CE-H26U11-S1	CE-H25D11-S1	CE-H25E11-S1
SIIG®	STIG	SHC STATE OF COMMENT AND SHORT OF SHARE OF COMMENT AND SHARE OF COMMENT AND SHARE OF	Receiver		Transposition - Bocaliery	
Input x Output	TX	RX	1 x 1	RX	1 x 1	RX
Product Protocol	Over IP	Over IP	HDbitT	HDbitT	HDbitT	HDbitT
Transmission Range	100m (330ft) 1080p@60Hz	100m (330ft) 1080p@60Hz	120m (394ft) 1080 @60Hz	120m (394ft) 1080 @60Hz	120m (394ft) 4K @30Hz	120m (394ft) 4K @30Hz
Resolution/HDR	1080p @60Hz	1080p @60Hz	1080p @60Hz	1080p @60Hz	4K @30Hz	4K @30Hz
HDMI/HDCP	1.3 / 1.2	1.3 / 1.2	1.3 / 1.2	1.3 / 1.2	1.4 / 2.2	1.4 / 2.2
HDMI Loopout						
Power Over Cable (PoC)	PoE	PoE				
RS-232	V	V				
USB						
EDID Management						
IR	V	V	V	V	V	V

Part#	CE-H26411-S1	CE-H26511-S1	CE-H26T11-S1	CE-H26U11-S1	CE-H25D11-S1	CE-H25E11-S1	
Cascade	Many to Many	Many to Many	1 to Many	1 to Many	1 to Many	1 to Many	
Audio extractor							
Support Network Switch	V	V	V	V	V	V	
coo	China	China	China	China	China	China	

Part#	CE-H24B11-S1	CE-H24V11-S1	CE-H24911-S1	CE-H24A11-S1	CE-H23A11-S2	CE-H23B11-S2
SIIG®	Receiver	a second	F. S.	R. C.	Transmitter Receiver	and the second s
Input x Output	1 x 1	RX	1 x 1	RX	1 x 1	TX
Product Protocol	HDbitT	HDbitT	HDbitT	HDbitT	HDbitT	HDbitT
Transmission Range	120m (394ft) 4K @30Hz	120m (394ft) 4K @30Hz	120m (394ft) 4K @60Hz	120m (394ft) 4K @60Hz	120m (394ft) 1080p @60Hz	120m (394ft) 1080p @60Hz
Resolution/HDR	4K @30Hz	4K @30Hz	4K @60Hz	4K @60Hz	1080p @60Hz	1080p @60Hz
HDMI/HDCP	1.4 / 2.2	1.4 / 2.2	1.4 / 2.2	1.4 / 2.2	1.3 / 1.4	1.3 / 1.4
HDMI Loopout	V	V			V	V
Power Over Cable (PoC)						
RS-232					V	V
USB						
EDID Management						
IR	V	V	V	V	V	V

Part#	CE-H24B11-S1	CE-H24V11-S1	CE-H24911-S1	CE-H24A11-S1	CE-H23A11-S2	CE-H23B11-S2	
Cascade	1 to Many	1 to Many	1 to Many	1 to Many	Many to Many	Many to Many	
Audio extractor							
Support Network Switch	V	V	V	V	V	V	
coo	China	China	China	China	China	China	

Part#	CE-H23C11-S2	CE-H25A11-S1	CE-H25B11-S1	CE-H25C11-S1	CE-H26W11-S1	CE-H26V11-S1
SIIG®	S and	Receiver Transmitter	Salte	STIES	1 a Toposition - La Anchese	THE REAL PROPERTY.
Input x Output	RX	1 x 1	TX	RX	1 x 8	1 x 4
Product Protocol	HDbitT	HDbitT	HDbitT	HDbitT	HDbitT	HDbitT
Transmission Range	120m (394ft) 1080p @60Hz	100m (330ft) 4K @60Hz	100m (330ft) 4K @60Hz	100m (330ft) 4K @60Hz	120m (394ft) 1080p@60Hz	120m (394ft) 1080p@60Hz
Resolution/HDR	1080p @60Hz	4K @60Hz	4K @60Hz	4K @60Hz	1080p @60Hz	1080p @60Hz
HDMI/HDCP	1.3 / 1.4	2.0 / 2.2	2.0 / 2.2	2.0 / 2.2	1.3 / 1.2	1.3 / 1.2
HDMI Loopout					V	V
Power Over Cable (PoC)						
RS-232	V					
USB						
EDID Management						
IR	V	V	V	V	V	V

Part#	CE-H23C11-S2	CE-H25A11-S1	CE-H25B11-S1	CE-H25C11-S1	CE-H26W11-S1	CE-H26V11-S1
Cascade	Many to Many	Many to Many	Many to Many	Many to Many	1 to Many	1 to Many
Audio extractor						
Support Network Switch	V	V	V	V	V	V
coo	China	China	China	China	China	China

Part# CE-H28A11-S1





Input x Output 1 x 1

Product Protocol AV Over IP

Transmission Range 100m (330ft) 4K @60Hz

Resolution/HDR 4K @60Hz HDR

HDMI/HDCP 2.0 / 2.2

HDMI Loopout

Power Over Cable (PoC) PoE

RS-232 V

USB V

EDID Management

IR V

Part# CE-H28A11-S1
Cascade Many to Many
Audio extractor V
Support Network Switch V

China

COO