

Part#



CE-H26S11-S1



CE-H26611-S1



CE-H25Y11-S1



CE-H25Z11-S1



CE-H24111-S1



Input x Output

5 x 3

2 x 1

Receiver

4 x 1

6 x 1

Compliant Standard

DP 1.2/HDMI 2.0 / HDCP 2.2

HDMI 2.0 / HDCP 2.2 /1.4
IEEE 802.11 a/g/n/ac 2.4Hz &
5GHz

HDMI 2.0 / HDCP 2.2 /1.4
IEEE 802.11 a/g/n/ac 2.4Hz &
5GHz

HDMI 2.0 / DP 1.2 Alt-mode

HDMI 1.4 / HDCP 1.4

Support External Display

2 + 1

1

1

1

1

Video format Input

HDMI x 3 / DisplayPort /
USB-C

HDMI / Wireless

Wireless

HDMI x 2 / USB-C (Alt mode)
/
Wireless

HDMI x 4 / VGA x 2

Video format output

HDMI x 2 / HDBaseT x 1

HDMI

HDMI

HDMI

HDMI

Resolution

Up to 4K60Hz

On base unit up to 4K60Hz
From HDMI Dongle up to 4K30Hz

On base unit up to 4K60Hz
From HDMI Dongle up to 4K30Hz

HDMI input up to 4K60Hz
HDR
USB-C input up to 4K30Hz
Wireless input up to 4K30Hz

HDMI input up to 4K 30Hz
VGA input up to 1080p 60Hz

Audio

3.5mm Mic in

3.5mm Stereo

3.5mm Stereo

3.5mm Stereo
5-pin audio terminal block

3.5mm Stereo
3-pin audio Terminal block
S/PDIF Audio

RS-232

3-pin Terminal block

3-pin Terminal block

3-pin Terminal block

3-pin Terminal block

USB

Micro USB for FW
USB 2.0 for Pen Drive

USB 2.0 / USB-C 3.1 Gen 1

USB 2.0 / USB-C 3.1 Gen 1

USB-A 3.0 x 2 for device
USB-B 3.0 x 2 for Source
Micro USB for FW

Switching

Button

software / Wireless Dongle

software / Wireless Dongle

Button

button / remote control

IR

V

Part#	CE-H26S11-S1	CE-H26611-S1	CE-H25Y11-S1	CE-H25Z11-S1	CE-H24111-S1
Network		Gigabit PoE / Ethernet	Gigabit PoE / Ethernet		
Control	USB Software	software / Web GUI	software / Web GUI	panel button	USB FW / RS-232 / 3.5mm IR
Additional Features	Video 1080p Recorder	up to 16 units / Airplay / Wireless Midia for Android / Security Levels	up to 16 units / Airplay / Wireless Midia for Android / Security Levels	Airplay / Miracast / Touch screen support	Mountable
COO	TAA	China	China	China	China

Part#

CE-H24311-S1

CE-H25Q11-S1



Input x Output

9 x 1

3 x 1

Compliant Standard

HDMI 1.4 / HDCP 2.2

DP 1.2 / HDMI 2.0 / HDCP 2.2

Support External Display

1

1

Video format Input

HDBaseT / DP / HDMI x 5 / VGA x 2

HDMI / Mini DP / USB-C

Video format output

HDMI / HDBaseT

HDMI

Resolution

HDMI input up to 4K 60Hz 420
VGA input up to 1080p 60Hz

Up to 4K 60Hz

Audio

3-pin audio Terminal block
5-pin audio Terminal block

RS-232

3-pin Terminal block

USB

USB 2.0 for FW

USB power input

Switching

button / remote control

IR

V

Part#	CE-H24311-S1	CE-H25Q11-S1
Network	V	
Control	USB FW / RS-232 / 3.5mm IR / TCP/IP	
Additional Features	Mountable / Web GUI / OSD	
COO	China	China