



Healthcare



IT Products

Computer Connectivity Solutions



Data Center/Server Room



Meeting Room



Editing Center/Photo Shooting Studio



Grovernment



- **KVMs** (KVM Switches, KVM Extenders)
- **Docking Stations** (Thunderbolt 4/3, USB-C, USB-A)
- **Keyboard/Mouse** (Medical / Industrial Grade)
- **MST Hubs**
- **USB Adapters** (USB-A, USB-C)
- **Cables** (Thunderbolt, Video, USB)
- **Audio** (Extender, Cable)
- **Networking** (PCIe Cards, Adapters)
- **I/O Cards** (Serial, Parallel, FireWire)
- **Storage** (USB 3.2)

KVMs

(KVM Switches)



CE-KV0H11-S1

4-Port DisplayPort 1.4 8K MST Dual Head KVM Console Switch

- **8K/4K Dual Display with MST** – Supports single 8K@30Hz or dual 4K@60Hz displays.
- **Quick Switch & USB Hub** – Switch via buttons/hotkeys, 4 USB 3.2 ports + 2 HID ports.



KVM
Switch

Single
8K

Dual
4K60Hz

DP
1.4

USB
5Gbps



2-Port 4K HDMI KVM Switch with PBP Roaming Mouse & PIP

- **4K HDMI KVM with PBP, PIP & Mouse Roaming** – Control 2 PCs, dual view, and seamless mouse movement.
- **Quick Switching & USB 3.2 Hub** – Switch via button, hotkeys, or mouse, with USB ports for peripherals.

CE-KV0G11-S1

HDMI

4K
30Hz

Mouse
Roaming

PIP
PBP



2x1 USB-C 4K60Hz Video KVM Switch

- **Switch Between 2 USB-C Devices** – Control two USB-C/Thunderbolt 3 laptops with one keyboard, mouse & 4K 60Hz display.
- **Compact & USB-C Powered** – Lightweight, no external power needed.

CE-KV0B11-S1

USB-C

HDMI

4K
60Hz

KVMs

(KVM Extenders)

KVM
Extender

HDMI Out

4K

230ft

KVM
Extender

HDMI In

4K HDMI USB KVM Extender over Cat6

CE-H28411-S1



- **Zero Latency Extension** – Extend 4K HDMI & USB up to 230ft over Cat6 with zero latency.
- **High-Resolution & HDR** – Supports 1080p@60Hz (70m), 4K@30Hz (40m), and HDR10.

HDMI USB KVM Over Cat6 Extender

- **HDMI & USB Extension** – 230ft (70m) over Cat6/7 with near-zero latency.
- **Full HD & Audio** – Supports 1080p@60Hz, EDID, 3.5mm audio out.



CE-H27411-S1

1080p

230ft

KVM
Extender

Loop
Out

4K 60Hz HDR HDMI KVM Over Cat6 Extender with S/PDIF & Touch Screen Support

- **4K@60Hz Extension** – 4K HDMI, USB & touch screen up to 230ft over Cat6 with zero latency.
- **Audio & Loop-Out** – S/PDIF audio extraction, HDR, EDID, HDMI loop-out.



CE-H27811-S1

4K
60Hz

230ft

KVM
Extender

S/PDIF

CE-H27R11-S1

HDMI 4K30Hz KVM over IP Extender

- **4K30Hz Extension** – Extends HDMI & USB up to 394ft (120m) over Cat6.
- **Loop-Out & USB Control** – HDMI loop-out, 4K to 1080p downscale, USB keyboard/mouse support.
- **4K to 1080p Downscale** - Receiver supports downscaling 4K signals to 1080p output.



1080p

230ft


KVM
ExtenderLoop
Out

CE-H3KE01-S1



HDMI 4K30Hz KVM over IP Extender- RX

- Works as the dedicated Receiver (RX) unit for CE-H27R11-S1



Docking Stations

(Thunderbolt 4/3)



Quad
4K

Single
8K

40
Gbps

PD
60W

Quad Display Thunderbolt 4 Docking Station & PD

- **Quad Display & 8K Output** - Connects to multiple ports including Thunderbolt 4, HDMI, DP, supports up to 8K@30Hz or dual 4K@60Hz displays.
- **150W Power Delivery & High-Speed Data** - Supports 60W PD charging, 40Gbps data transfer, and fast-charging USB ports.



JU-DK0U11-S1

Thunderbolt 3 Dual DP 4K60Hz Video Docking Station with PD

- **Dual 4K@60Hz or 5K Display Output** - Supports dual 4K displays via DisplayPort or single 5K@30Hz output.
- **135W Power & 40Gbps Data** - 60W PD charging, fast-charging USB ports, 40Gbps transfer speed.



JU-DK0C11-S1

4K
60Hz

Support
5K

40
Gbps

PD
60W

Thunderbolt 3 to 8K/Dual 4K Monitor Docking Station with PD • JU-DK0G11-S1

- **Dual 4K or Single 8K Display Output** - Connect two 4K@60Hz displays or one 8K display via DP 1.4 & Thunderbolt 3 ports for stunning visuals.
- **Comprehensive Connectivity** - Features Thunderbolt 3, DP 1.4, 3x USB 3.0 ports with charging, Gigabit Ethernet, SD 4.0/Micro SD/CFast 2.0/XQD card reader.



Thunderbolt 3 DP 1.4 8K Docking Station with Dual M.2 NVMe SSD & 96W Power Delivery • JU-DK0K11-S1



- **Dual 4K/8K Display & High-Speed Storage** - Supports dual 4K@60Hz or single 8K display, plus built-in dual M.2 NVMe SSD slots (1500Mbps each).
- **Comprehensive Ports & 96W Power Delivery** - Equipped with Thunderbolt 3, DP 1.4, USB 3.1 Gen 2, Gigabit Ethernet, SD card reader, and 96W PD charging with 150W power adapter.



Docking Stations

(USB-C/USB-A)



USB-C

Dual
4K

Single
5K


PD
60W

6xUSB
5Gbps

USB Type-C Dual 4K Docking Station with Power Delivery 60 watts

JU-DK0811-S1

- **Dual 4K or Single 5K Display** - Supports dual 4K@60Hz or single 5K@60Hz via DisplayLink® tech.
- **100W Power & Multiple Ports** - 60W PD charging, USB-C, USB-A, Gigabit LAN, audio ports.



4K
60Hz

PD
100W

USB-C Multitask Hub Stand Holder

CE-MTDK31-S2

- **8-in-1 USB-C Hub & Stand** - 4K HDMI, USB-C PD, USB-A, SD/TF slots, adjustable height & angle.
- **Durable Aluminum Design** - Stable, foldable, fits tablets up to 13".



USB-C Multitask Mini Dock with Conference Speaker

- **All-in-One Hub + Speakerphone** - Combines USB-C hub, 3W speaker, 4 mics, HDMI, USB ports & 100W PD charging
- **Crystal-Clear 360° Audio** - Built-in speaker and 4 microphones ensure clear, smooth communication from any direction

JU-DK0S11-S1

360°
MIC

4K

USB
5Gbps

PD
85W



USB-C

Universal Hybrid Dual 4K Video Docking Station

- **Dual 4K or Single 5K Display** - Supports dual 4K 60Hz via HDMI & DP, or single 5K when using both DP ports.
- **Wide Compatibility & Connectivity** - Compatible with USB-C, USB-A, Thunderbolt 3; offers 6 USB 3.0 ports, Gigabit Ethernet, and audio jack.

JU-DK0H11-S1

Dual
Display

1080p

USB
5Gbps



USB-A

Keyboard/Mouse

(Medical/Industrial Grade)



IP68

Washable

Dustproof

Antibacterial

Medical/Industrial Grade Washable & Dustproof Keyboard with Touchpad

JK-US0W11-S1

Medical/
Industrial
Grade



- **IP68 Dustproof & Waterproof** - Sealed silicone, washable, disinfectant-resistant.
- **Full-Size Backlit Keyboard with Touchpad** - 110-key layout with touchpad, number pad, and 5-level LED backlight.

Medical/Industrial Grade Washable & Dustproof USB Multimedia Keyboard

JK-US0U11-S1

Medical/
Industrial
Grade



- **IP68 Dustproof & Waterproof** - Ultra-thin, washable, detachable keycaps.
- **104 Keys & Antibacterial** - Multimedia keys, nano silver antibacterial coating.

Medical/Industrial Grade Washable Backlit Keyboard with Pointing Device

JK-US0911-S1

Medical/
Industrial
Grade



- **IP68 Waterproof & Washable** - Sealed silicone design with waterproof cap.
- **Compact with Track Pointer & Backlit** - Space-saving with integrated pointing device and 4-level LED backlight.

USB Desktop Keyboard

JK-US0012-S1



- **Full-Size 103-Key Layout** - Soft membrane keys for comfortable, silent typing.
- **Water Resistant & USB Compatible** - Resists liquid spills; supports USB 1.1 connection.

Wireless Extra-Duo Keyboard & Mouse

JK-WR0T12-S1



- **Wireless Keyboard & Mouse Combo** - 102-key keyboard with 8 hotkeys, 3-button mouse with adjustable DPI, and up to 33ft wireless range.
- **Spill Resistant & Compact Receiver** - Keyboard with drain holes, 2.4GHz USB receiver with built-in storage.

Industrial Grade Washable & Dustproof USB Mouse with Button Type Scroll

- **IP68 Dustproof & Waterproof** - Silicone-sealed design for industrial, medical, and harsh environments.
- **Reliable Precision** - 1000 dpi IR optical sensor with 3-button layout for smooth, accurate control.

JK-US0S11-S1



3 Buttons USB Optical Mouse

JK-US0T11-S1



- **Smooth & Precise Control** - 1200 DPI optical tracking with 3 buttons and scroll wheel.
- **Plug & Play Compatibility** - Works with Windows 10/8/7/Vista/XP and earlier.

MST Hubs



DP to DP

Triple
4K

Single
8K

3
Ports

DP
MST

1x3 DisplayPort 1.4 to DisplayPort MST Splitter

CE-DP0S11-S1

- **8K Triple Display** - Split one DP 1.4 output to 3 displays with up to 8K30Hz resolution.
- **Versatile Modes** - Mirror, extend, or create a video wall.



USB-C to HDMI



4K
60Hz

USB-C
MST

Dual
HDMI

1x2 USB-C to HDMI 4K60 MST Hub Splitter

CE-DP0T11-S1

- **Dual 4K HDMI Display** - Connect two 4K60Hz monitors via USB-C with MST support.
- **Boost Productivity** - Extend, mirror, or multi-task across two screens—no drivers or power adapter.



8K 1x3 DisplayPort 1.4 to HDMI MST Hub Splitter

CE-DP0Q11-S1

- **Triple 4K HDMI Output**- Connect up to three HDMI monitors with resolutions up to 8K30 or 4K60.
- **Flexible Display Modes** - Mirror, extend, or create a panoramic video wall—plug-n-play with no drivers needed.



DP to HDMI

Triple
4K

3
Ports

DP
MST

4K 1x2 Mini DisplayPort 1.2 to HDMI MST Splitter

CE-DP0L11-S1

- **Dual 4K HDMI Display** - Connect two 4K monitors via mini DisplayPort 1.2 with MST support.
- **Multiple Display Modes** - Mirror, extend, or span content across screens—easy plug-n-play setup.



Mini DP to HDMI

Dual
4K

2
Ports

mDP
MST

USB Adapters

(USB-A/USB-C)



USB-A

1080p
60Hz

USB-A
5Gbps


DVI
VGA

USB 3.0 to DVI/VGA Pro adapter

JU-DV0112-S3



- **Full HD Display** - Supports resolutions up to 2048x1152 @ 60Hz via USB 3.0 with included DVI to VGA adapter.
- **Portable Dual Display Solution** - Compact design adds a second monitor for multitasking on the go.



1080p
60Hz

USB-A
5Gbps

HDMI
DVI

USB 3.0 to HDMI/DVI Video Adapter Pro

JU-H30H11-S1

- **Dual Display Expansion**- Adds an HDMI or DVI display via USB 3.0.
- **High Resolution & Compatibility** - Supports up to 2560x1440@50Hz (HDMI) and 1920x1080@60Hz (DVI).




USB Adapters- USB-A / USB-C



4K
30Hz

PD
100W

USB
5Gbps



USB-C

USB-C to HDMI with LAN Hub & PD Charging Adapter

- **5-in-1 USB-C Hub** - Adds 4K HDMI, Gigabit LAN, 2x USB-A (5Gbps), and 100W PD pass-through in one compact adapter.
- **Universal Compatibility** - Works with Thunderbolt 3/ USB-C laptops, tablets, and smartphones.



JU-H30L11-S1

USB-C 2-in-1 Card Reader for SD & Micro SD

- **Dual Slot Access** - Simultaneously reads SD and microSD cards via USB-C or Thunderbolt 3.
- **Compact & Fast** - Slim aluminum design with 5Gbps USB 3.0 transfer speeds; plug-and-play on Windows, Mac, and Android.



JU-MR0F12-S1

Card
Reader

SD/
Micro SD

Cables

(Thunderbolt, Video, USB)



TBT Cable

**40
Gbps**

240W

**2.3ft
0.7m**

Thunderbolt 4 Cable

CB-TB0211-S1

- **40Gbps Speed & 8K Display** - Ultra-fast data transfer and dual 4K or single 8K support.
- **240W Power Delivery** - High-power charging with USB4 Extended Power Range (EPR).



* Dual-monitor display requires 2 cables.



* Mac M1/M2 supports a single external monitor only.



Multi-Devices With Daisy Chaining
One cable connects up to 6 devices



* Each device is connected to one Thunderbolt cable.

* The device needs to support the daisy chain topology.

* It Requires devices with Thunderbolt 3/4 ports.

Cables - Thunderbolt, Video, USB 15

Ultra High Speed HDMI Cable

CB-H21011-S1

- **8K/4K Ultra HD** - 8K@60Hz, 4K@120Hz, 48Gbps, Dynamic HDR, and eARC support.
- **Game & Stream Ready** - VRR, ALLM, QFT, and QMS for smoother video and audio.



Video Cable



8K
60Hz

48
Gbps

eARC

USB 3.0 AOC Male to Female Active Cable

CB-US0V11-S1

- **50M USB 3.0 Extension** - 5Gbps speed with fiber-optic stability.
- **Fast & Easy** - UASP support, plug-and-play for 4K cameras and storage.



USB Cable



Optical

USB-A
3.0

164ft

Audio

(Extender/Cable)



Toslink

Coaxial

5.1-ch

990ft

PoC

Digital Audio Extender Over Cat5e/6 Cable with PoC



- **Extend Digital Audio up to 990ft** - Transmits Toslink or Coaxial audio over a single CAT cable with zero signal loss.
- **Power Over Cable + Dual Output** - PoC-enabled with simultaneous Toslink & Coaxial audio output on the receiver.

CE-AU0411-S1

Toslink Digital Audio Cable - 2M



- **Pure Digital Sound** - 6.6ft Toslink cable delivers high-definition audio with zero interference.
- **Flexible & Durable** - Slim PVC jacket with protective lens caps for clean, easy setup.

CB-TS0112-S1

Toslink

6.6ft
2M

Networking

(PCIe Cards/Adapters)



2.5
Gbps

2
Port

PCIe

Dual 2.5G 4-Speed Multi-Gigabit Ethernet PCIe Card



- **Dual 2.5G Ethernet Ports** - Adds two multi-speed RJ45 ports (2.5G/1G/100M/10M) via PCIe.
- **High Compatibility** - Supports jumbo frames, Wake-on-LAN, and IEEE 802.3 standards.

LB-GE0711-S1

Dual Port 10G SFP+ Ethernet Network PCI Express



- **Dual 10G SFP+ Ports** - Adds two high-speed 10GbE SFP+ connections via PCIe x8 for powerful networking.
- **Intel X520 Chipset** - Delivers advanced virtualization, SAN/iSCSI support, and efficient performance with EEE and DMA.

LB-GE0511-S1

10
Gbps

SFP

PCIe

Wireless 2T2R Dual Band WiFi Ethernet PCIe Card - AC1200

LB-WR0011-S1

- **Dual Band AC1200 Wi-Fi**- Adds fast 867Mbps (5GHz) + 300Mbps (2.4GHz) wireless connectivity via PCIe.
- **2T2R MIMO Performance** - Ensures stronger, more stable signals — perfect for HD streaming and online gaming.



High Speed Low-latency
Enjoy smooth data transfer for work and gaming



2T2R

Wireless

AC
1200

PCIe

USB-C to SFP Fiber Gigabit Ethernet Adapter

JU-NE0D11-S1


- **USB-C to SFP Fiber Connectivity** - Adds secure, high-speed 1Gbps fiber network via USB-C; supports 1000Base-SX/LX SFP modules.
- **TAA Compliant & Power Efficient** - Made in a TAA-designated country with Energy Efficient Ethernet (IEEE 802.3az) for reduced power use.



USB-C

SFP


1
Gbps



TAA
Compliant

I/O Cards

(Serial, Parallel, FireWire)



RS-232

Parallel
Port

250
Kbps

DP Cyber 1S1P PCIe Card

JJ-E20311-S1




- **Add 1 Serial + 1 Parallel Port** - Installs easily via PCIe to connect legacy RS-232 and IEEE 1284 parallel devices.
- **Dual Profile & Powered Serial Support** - Fits standard and low-profile systems; configurable 5V/12V power output for POS and industrial devices.

DP 2-Port FireWire PCIe

NN-E20211-S1

- **Add 2 FireWire 400 Ports** - Installs easily in PCIe x1 slots, supporting data rates up to 400Mbps.
- **Dual Profile Design** - Includes both standard and low-profile brackets for flexible system compatibility.



2
Port

1394a

400
Mbps

Storages

(USB 3.2)



USB 3.2 Gen 2x2

20
Gbps

M.2
M-Key

NVMe
SSD

USB 3.2 Gen 2x2 Type-C 20G NVMe SSD Enclosure

JU-SA0X11-S1



- **Ultra-Fast 20Gbps Transfer** - Adds NVMe SSD storage via USB-C with USB 3.2 Gen 2x2 and UASP support.
- **Tool-Free & Portable** - Compact aluminum housing with tool-free design, ideal for on-the-go use—no power adapter needed.

USB 3.2 Gen 1



10
Gbps

M.2
M-Key

NVMe
SSD

USB 3.1 Gen 2 Type-C to M.2 PCIe SSD NVMe Enclosure

JU-SA0W11-S1

- **10Gbps High-Speed Storage** - Adds fast PCIe NVMe SSD storage via USB 3.1 Gen 2 with UASP support.
- **Ultra-Slim & Durable** - Lightweight aluminum housing ensures portability, durability, and efficient heat dissipation.



KVMs- KVM Switch, KVM Extenders



SKU	CE-KV0H11-S1	CE-KV0G11-S1	CE-KV0F11-S1	CE-KV0E11-S1	CE-KV0D11-S1
In	4xDP	2xHDMI	4xHDMI	2xHDMI	4xDP
Out	2xDP (MST)	1xHDMI	1xHDMI	1xHDMI	1DP or 1xHDMI
Resolution	Single 8K30Hz Dual 4K60Hz	4K60Hz	4K60Hz	4K60Hz	4K60Hz
USB	4x USB 5Gbps	2x USB 5Gbps	2x USB 5Gbps	2x USB 5Gbps	2x USB 5Gbps
HID	✓	✓	✓	✓	✓
TAA	✓	✓	✗	✗	✗



SKU	CE-KV0C11-S1	CE-KV0B11-S1	CE-DP0G11-S1	CE-DP0F11-S1	CE-25611-S1
In	2xDP	2xUSB-C	4xDP	2xDP	4xHDMI
Out	1DP or 1xHDMI	1xHDMI	1xDP	1xDP	1xHDMI
Resolution	4K60Hz	4K60Hz	4K60Hz	4K60Hz	4K60Hz
USB	2x USB 480Mbps	-	4x USB 5Gbps	2x USB 5Gbps	4x USB 5Gbps
HID	✓	✓	✓	✓	✓
TAA	✗	✗	✓	✓	✓



SKU	CE-H28411-S1	CE-H27411-S1	CE-H27811-S1	CE-H27R11-S1	CE-H3KE01-S1
HDMI/HDCP	1.3 / 1.4	1.3 / 1.4	2.0 / 2.2	1.3 / 1.4	1.3 / 1.4
Resolution	4K / 1080p	1080p	4K60Hz	4K30Hz	4K30Hz
Transmission	230ft / 130ft	230ft / 70m	230ft / 70m	394ft / 120m	394ft / 120m
Loop-Out	✗	✓	✓	✓	✗
Connection	One to One	One to One	One to One	One to Many	One to Many
TAA	✗	✗	✗	✗	✗
TX/RX	TX / RX	TX / RX	TX / RX	TX / RX	RX

Docking Stations



SKU	JU-DK0U11-S1	JU-DK0K11-S1	JU-DK0G11-S1	JU-DK0C11-S1
Input	Thunderbolt 4	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3
Resolution	Single: 8K30Hz, 4K144Hz Triple: 8K+4K60Hz Quad: 4K60Hz	Single: 8K30Hz/ 4K144Hz Dual: 4K60Hz	Single: 8K30Hz/ 4K144Hz Dual: 4K60Hz	Single: 5K Dual: 4K60Hz
Video Out	HDMI, DisplayPort, 3x Thunderbolt 4	Thunderbolt DisplayPort	Thunderbolt DisplayPort	2x DisplayPort
USB	2x USB-A 5Gbps 2x USB-A 480Mbps	USB-C/A 10Gbps, 2x USB-A 5Gbps	3x USB-A 5Gbps	2x USB-C 10Gbps 1x USB-A 10Gbps 2x USB-A 5Gbps
Ethernet	Gigabit Ethernet	Gigabit Ethernet	Gigabit Ethernet	Gigabit Ethernet
Audio/Mic	Audio/Mic	Audio/Mic	-	Headset
Card Reader	SD	SD	XQD/CF/SD/Micro SD	-
PD	60W	96W	60W	60W
TAA	✗	✓	✗	✗
Other	-	2x M.2 NVMe M-Key	-	-



SKU	JU-DK0R11-S1	JU-DK0Q11-S1	JU-DK0P11-S1	JU-DK0N11-S1
Input	USB-C (DP Alt Mode)	USB-C	USB-C (DP Alt Mode)	USB-C (DP Alt Mode)
Resolution	Single: 4K60Hz Triple: 1080p60Hz Dual: 2K60Hz	Single: 5K (2x DP) Dual: 4K60Hz Quad: 4K	Single: 5K (2x DP) Triple: 4K Dual: 4K60Hz	Single: 5K Dual: 4K60Hz
Video Out	2x HDMI, DisplayPort	4x Hybrid DP/HDMI	2x Hybrid DP/HDMI DP Alt Mode HDMI	2x HDMI
USB	4x USB-A 5Gbps	USB-A 10Gbps, 3x USB-A 5Gbps (USB-C: PD30W)	USB-C/A 10Gbps USB-C 5Gbps 2x USB-A 5Gbps	2x USB-C 10Gbps 1x USB-A 10Gbps 1x USB-A 5Gbps
Ethernet	Gigabit Ethernet	2.5G Gigabit Ethernet	Gigabit Ethernet	Gigabit Ethernet
Audio/Mic	Headset	Audio/Mic	Audio	Headset
Card Reader	SD/MicroSD	SD	XQD/CF/SD/Micro SD	SD/MicroSD
PD	65W	100W	100W	60W
TAA	✗	✗	✗	✗
Other	MST Hub Power Button	Security Lock Power Button	Kensington Lock	MST Hub/Stand



SKU	JU-DK0L11-S1	JU-DK0J11-S1	JU-DK0H11-S1	JU-DK0F11-S1
Input	USB-A	USB-C (DP Alt Mode)	USB-C/A	USB-C (DP Alt Mode)
Resolution	Dual: 1080p60Hz	Triple: 4K Single: 5K	Dual: 4K Single: 5K	Dual: 1080p Single: 4K30Hz
Video Out	2x HDMI	2x DP Link Hybrid 1x DP Alt Mode Hybrid	2x DP Link Hybrid	1x HDMI 1x DisplayPort
USB	2x USB-A 5Gbps 4x USB-A 480Mbps	6x USB-A 5Gbps	6x USB-A 5Gbps	1x USB-C 5Gbps 2x USB-A 5Gbps
Ethernet	Gigabit Ethernet	Gigabit Ethernet	Gigabit Ethernet	Gigabit Ethernet
Audio/Mic	Headset	Headset	Headset	-
Card Reader	-	-	-	SD
PD	-	100W	-	100W
TAA	X	X	X	X
Other	-	-	-	MST Hub




SKU	JU-DK0E11-S1	JU-DK0811-S1
Input	USB-C (DP Alt Mode)	USB-C
Resolution	Triple: 720p Dual: 1080p Single: 4K	Dual: 4K Single: 5K
Video Out	HDMI, DisplayPort, VGA	2x DP Link Hybrid
USB	2x USB-A 5Gbps 1x USB-A 480Mbps	2x USB-C 5Gbps, 4x USB-A 5Gbps
Ethernet	Gigabit Ethernet	Gigabit Ethernet
Audio/Mic	Headset	Audio/Mic
Card Reader	SD/Micro SD	-
PD	100W	60W
TAA	X	X
Other	MST Hub/ Stand/Holder	-

JU-DK0E11-S1
USB-C MST Video Docking Station





SKU	JU-DK0S11-S1	CE-MTDK31-S2	CE-MTDK21-S1
Input	USB-C (DP Alt Mode)	USB-C (DP Alt Mode)	USB-C (DP Alt Mode)
Resolution	4K30Hz	4K60Hz	4K60Hz
Video Out	HDMI	HDMI	HDMI
USB	2x USB-A 5Gbps 1x USB-C PD	2x USB-A 5Gbps, 1x USB-C 5Gbps	2x USB-A 5Gbps
Ethernet	-	-	Gigabit Ethernet
Audio/Mic	Audio	Headset	-
Card Reader	-	SD/Micro SD	-
PD	100W	100W	100W
TAA	X	X	X
Other	Volume Control/ Play & Pause/ MIC Buttons	Tablet Holder Under 13" Tablet	Flodable & Stand



JU-DK0S11-S1



CE-MTDK31-S2



CE-MTDK21-S1

Keyboard/Mouse



SKU	JK-US0W11-S1	JK-US0U11-S1	JK-US0911-S1	JK-US0012-S1
Main	Keyboard	Keyboard	Keyboard	Keyboard
Input	USB-A	USB-A	USB-A	USB-A
Number of Keys	110 keys	104 keys	89 keys	103 keys
IP68	✓	✓	✓	✗
Washable	✓	✓	✓	✗
Material	Silicone	ABS with UV coating	Silicone	ABS
Dimensions	16.10"x0.43"x5.47" (W)x(H)x(D)	17.70"x1.06"x5.67" (W)x(H)x(D)	11.26"x0.43"x5.83" (W)x(H)x(D)	17.48"x0.91"x6.69" (W)x(H)x(D)
Backlighting	5 levels brightness adjustable	-	4 levels brightness adjustable	-
Other	with Touchpad	Multimedia keys	Pointing device	-



SKU	JK-WR0T12-S1	JK-US0T11-S1	JK-US0S11-S1	JK-WR0B12-S2
Main	Keyboard/Mouse	Mouse	Mouse	Mouse
Input	Wireless (USB-A)	USB-A	USB-A	Wireless (USB-A)
Number of Keys	102 keys	-	-	-
Mouse button	3-button	3-button	5-button	6-button
DPI Resolution	1000/1600DPI	1200DPI	1000DPI	800/1000 DPI
IP68	✗	✗	✓	✗
Washable	✗	✗	✓	✗
Material	ABS	Plastic	Silicone	Plastic
Dimensions	17.52"x5.9"x1.06" 3.94"x2.32"x1.38" (W)x(H)x(D)	4.65"x1.47"x2.17" (W)x(H)x(D)	4.52"x1.65"x2.67" (W)x(H)x(D)	4.29"x1.5"x2.95" (W)x(H)x(D)
Other	2.4GHz Wireless Spill-Resistant	Security Lock Power Button	Antibacterial Waterproof	USB Nano Receiver



SKU	CE-DP0T11-S1	CE-DP0S11-S1	CE-DP0R11-S1	CE-DP0Q11-S1	CE-DP0P11-S1
External Displays	Dual	Triple	Quad	Triple	Triple
Input	USB-C (DP 1.4 Alt Mode)	DP1.4	DP 1.4	DP 1.4	DP 1.4
DisplayPort	-	3	4	-	3
HDMI	2	-	-	3	-
Resolution	Dual: 4K60Hz Single: 4K60Hz	Triple: 4K30Hz Dual: 4K60Hz Single: 8K30Hz	Quad: 4K30Hz Triple: 4K30Hz Dual: 4K60Hz Single: 8K30Hz	Triple: 4K30Hz Dual: 4K60Hz Single: 8K30Hz	Triple: 4K30Hz+ 2K60Hz+1080p Dual: 4K30Hz Single: 4K30Hz
Audio	7.1-ch	7.1-ch	7.1-ch	7.1-ch	7.1-ch
Power	-	Micro USB	Micro USB	Micro USB	Micro USB
TAA Compliant	X	✓	X	X	X



SKU	CE-DP0N11-S1	CE-DP0L11-S1	CE-DP0K11-S1	CE-DP0J11-S1	CE-DP0H11-S1
External Displays	Triple	Dual	Dual	Dual	Dual
Input	DP 1.4	Mini DP 1.2	DP 1.2	Mini DP 1.2	DP 1.2
DisplayPort	2	-	-	2	2
HDMI	1	2	2	-	-
Resolution	Triple: 4K60Hz+ 2x4K30Hz Dual: 4K60Hz Single: 8K30Hz	Dual: 4K30Hz Single: 4K60Hz	Dual: 4K30Hz Single: 4K60Hz	Dual: 4K30Hz Single: 4K60Hz	Dual: 4K30Hz Single: 4K60Hz
Audio	7.1-ch	7.1-ch	7.1-ch	7.1-ch	7.1-ch
Power	Micro USB	Micro USB	Micro USB	Micro USB	Micro USB
TAA Compliant	X	✓	X	X	X

USB Adapters



SKU	JU-DV0112-S3	JU-H30H11-S1	JU-VG0211-S1	JU-H30L11-S1
External Displays	Single	Single	Single	Triple
Input	USB-A	USB-A	USB-A	USB-C
Output	DVI/VGA	HDMI/DVI	VGA	HDMI
Resolution	2048x1152@60Hz	1920x1080@60Hz	2048x1152@60Hz	4K30Hz
USB	-	-	-	2x USB-A
Transfer Rate	Up to 5Gbps	Up to 5Gbps	Up to 5Gbps	Up to 5Gbps
Power Delivery	-	-	-	100W (USB-C)
TAA Compliant	✗	✗	✓	✗
Other	-	-	-	RJ45



SKU	JU-H30C11-S1	CB-TC0911-S1	CB-TC0611-S1	JU-MR0F12-S1
External Displays	-	Single	Single	-
Input	USB-C	USB-C	USB-C	USB-C
Output	-	HDMI/DVI/VGA	DP/HDMI/DVI/VGA	SD/Micro SD
Resolution	-	4K30Hz (HDMI) 1080p (DVI & VGA)	4K60Hz (DP) 4K30Hz (HDMI) 1080p (DVI & VGA)	-
USB	3xUSB-A	-	-	-
Transfer Rate	Up to 5Gbps	-	-	-
Power Delivery	100W (USB-C)	60W (USB-C)	-	-
TAA Compliant	✗	✗	✗	✗



SKU	CB-TB0211-S1
Cable Type	Thunderbolt 4
Transfer Rate	40Gbps
Length	2.3ft
Charging	240W
Current Capacity	5A
Resolution	8K60Hz
Material	Plastic
Other	Daisy Chain

240W
MAX

Macbook
Pro 16"



* Wall charger is sold separately.



CB-TB0211-S1
Thunderbolt 4 Cable



SKU	CB-H21611-S1	CB-H21511-S1	CB-H21411-S1	CB-H21111-S1	CB-H21011-S1
Cable Type	HDMI	HDMI	HDMI	HDMI	HDMI
Transfer Rate	48Gbps	48Gbps	48Gbps	48Gbps	48Gbps
Length	10ft	6.6	3.3	16ft	12ft
Charging	-	-	-	-	-
Current Capacity	-	-	-	-	-
Resolution	8K60Hz/ 4K120Hz	8K60Hz/ 4K120Hz	8K60Hz/ 4K120Hz	8K60Hz/ 4K120Hz	8K60Hz/ 4K120Hz
Material	PVC+Zinc alloy	PVC+Zinc alloy	PVC+Zinc alloy	PVC+Aluminum	PVC+Aluminum
Other	eARC	eARC	eARC	eARC	eARC



SKU	CB-TC0K11-S1	CB-TC0J11-S1	CB-TC0B12-S1	CB-TC0A12-S1	CB-DP2511-S1
Cable Type	USB-C to DP1.2	USB-C to HDMI	USB-C to HDMI	USB-C to DP	DisplayPort
Transfer Rate	21.6Gbps	18Gbps	6Gbps	6Gbps	21.6Gbps
Length	6.6ft	6.6ft	6.6ft	6.6ft	197ft
Charging	-	-	-	-	-
Current Capacity	-	-	-	-	-
Resolution	4K60Hz	4K60Hz	4K60Hz	4K60Hz	4K60Hz
Material	PVC+ABS	PVC+ABS	Double braided & Plastic	Double braided & Plastic	PVC Fiber
Other	-	-	-	-	AOC



SKU	CB-DP1V12-S1	CB-DP1R12-S1	CB-DP1Q12-S1	CB-DP1J12-S1	CB-DP1A11-S2
Cable Type	DP to DVI-D	DP to HDMI	DP to HDMI	mDP to DP	DP to DVI
Transfer Rate	6.75Gbps	10.2Gbps	10.2Gbps	21.6Gbps	21.6Gbps
Length	6ft	10ft	6ft	6.6ft	10ft
Charging	-	-	-	-	-
Current Capacity	-	-	-	-	-
Resolution	1920x1200 60Hz	4K30Hz	4K30Hz	4K60Hz	1080p60Hz
Material	PVC	PVC	PVC	PVC	PVC
Other	-	-	-	-	-



SKU	CB-DP1K12-S1	CB-DP0052-S1	CB-DP0022-S1	CB-DP0012-S1	CB-000012-S1
Cable Type	mDP to DP	DisplayPort	DisplayPort	DisplayPort	HDMI
Transfer Rate	21.6Gbps	21.6Gbps	21.6Gbps	21.6Gbps	10.2Gbps
Length	9.8ft	16.4ft	6.6ft	3.3ft	6.6ft
Charging	-	-	-	-	-
Current Capacity	-	-	-	-	-
Resolution	4K60Hz	4K60Hz	4K60Hz	4K60Hz	4K30Hz
Material	PVC	PVC	PVC	PVC	PVC+Aluminum
Other	-	-	-	-	CEC



SKU	CB-TC0811-S1	CB-TC0711-S1	CB-TC0114-S2	CB-TC0014-S2	JU-CS0311-S1
Cable Type	USB-C to HDMI	USB-C to DVI-D	USB-C to VGA	USB-C to HDMI	USB to RS-232
Transfer Rate	10.2Gbps	165MHz	270MHz	21Gbps	921Kbps
Length	16ft	16ft	33ft	16.4ft	3.3ft
Charging	60W PD	-	-	-	-
Current Capacity	-	-	-	-	-
Resolution	4K30Hz	4K60Hz/	1920x1200 60Hz	1080p60Hz	-
Material	braided+ Aluminum	braided+ Aluminum	braided+PVC	braided+PVC	Plastic
Other	DP Alt Mode	DP Alt Mode	DP Alt Mode	DP Alt Mode	TAA Compliant



SKU	CB-TC0F11-S1	CB-TC0E11-S1	CB-US0V11-S1	CB-US0U11-S1	CB-US0212-S1
Cable Type	USB-C Gen 2x2	USB-C Gen 2x2	USB-A	USB-A	USB-A
Transfer Rate	10Gbps	10Gbps	5Gbps	5Gbps	5Gbps
Length	3.3ft	3.3ft	164ft	100ft	6.6ft
Charging	100W PD	60W PD	0.9A	0.9A	-
Current Capacity	5V	5V	5V	5V	-
Resolution	4K60Hz	4K60Hz	-	-	-
Material	PVC	PVC	PVC	PVC	PVC
Other	E-Marker	-	AOC	AOC	-



SKU	JU-CB0D11-S1	JU-CB0811-S1	JU-CB0711-S1	JU-CB0611-S1
Cable Type	USB-A	USB-A	USB 3.0	USB 3.0
Transfer Rate	5Gbps	5Gbps	5Gbps	5Gbps
Length	82ft	65ft	49ft	32.8ft
Charging	0.9A	0.9A	0.9A	0.9A
Current Capacity	5V	5V	5V	5V
Resolution	-	-	-	-
Material	PVC	PVC	PVC	PVC
Other	Repeater/ TAA Compliant	Repeater/ TAA Compliant	Repeater/ TAA Compliant	Repeater/ TAA Compliant



SKU	LB-GE0811-S1	LB-GE0711-S1	LB-GE0511-S1	LB-GE0411-S1	LB-GE0311-S1
Number of Ports	4	2	2	1	2
Network	Gigabit Ethernet	Gigabit Ethernet	SFP Ethernet	SFP Ethernet	Gigabit Ethernet
Transfer Rate	1G	2.5G	10G	10G	10G
Wake On Lan	✓	✓	✓	✓	✓
Bus Width	x4 lane PCIe	x4 lane PCIe	x8 lane PCIe	x8 lane PCIe	x8 lane PCIe
Bus Type	PCIe 2.1	PCIe 2.1	PCIe 2.0	PCIe 2.0	PCIe 2.0
Operating Systems	Windows/ Windows Server	Windows/ Windows Server	Windows/ Windows Server	Windows/ Windows Server	Windows/ Windows Server
PoE	✓	✗	✗	✗	✗



SKU	LB-GE0211-S1	LB-GE0014-S1	LB-WR0111-S1	LB-WR0011-S1	CN-GP1021-S3
Number of Ports	4	2	2	1	1
Speed	Gigabit Ethernet	Gigabit Ethernet	WiFi 6 & Bluetooth	Wireless	Gigabit Ethernet
Transfer Rate	1G	1G	5G/2.4G	5G/2.4G	1G
Wake On Lan	✓	✓	✗	✗	✓
Bus Width	x4 lane PCIe	x4 lane PCIe	x1 lane PCIe	x1 lane PCIe	x1 lane PCIe
Bus Type	PCIe 2.1	PCIe 2.1	PCIe 2.1	PCIe 2.1	PCIe 2.0
Operating Systems	Windows/ Windows Server	Windows/ Windows Server	Windows/ Windows Server	Windows/ Windows Server	Windows/ Windows Server
PoE	✓	✓	✗	✗	✗



SKU	CN-WR0811-S2	JU-WR0112-S2	LB-US0714-S1	JU-NE0711-S1	JU-NE0914-S1
Number of Ports	4	1	1	1	1
Speed	Wireless-N	Wireless-N	Gigabit Ethernet	Gigabit Ethernet	Gigabit Wireless
Transfer Rate	300Mbps	150Mbps	1G	1G	1G
Wake On Lan	✗	✗	✓	✓	✓
Bus Width	x1 lane PCIe	-	-	-	-
Bus Type	PCIe 2.1	USB-A 2.0	USB-A 3.0	USB-A 3.0	USB-C3.0
Operating Systems	Windows/ Windows Server	Windows/ Windows Server/ Mac OS	Windows/ Windows Server/ Mac OS	Windows/ Windows Server/ Mac OS	Windows/ Mac OS
PoE	-	-	-	-	-
TAA	-	-	-	-	-



SKU	JU-NE0A11-S1	JU-NE0D11-S1
Number of Ports	1	1
Speed	Gigabit Ethernet	SFP Ethernet
Transfer Rate	2.5G	1G
Wake On Lan	✓	✓
Bus Width	-	-
Bus Type	USB-C 3.0	USB-C 3.0
Operating Systems	Windows/ Mac OS	Windows/ Mac OS
PoE	✓	✓
TAA	✗	✓



I/O Cards - Serial, Parallel, FireWire



SKU	JJ-E20611-S1	JJ-E20711-S1	JJ-E20311-S1	JJ-E40011-S5	LB-S00014-S1
Interface	1x Serial	2x Serial	Serial+Parallel	4x CyberSerial	2x Serial
Port	DB9 RS-232	DB9 RS-232	DB9 RS-232	DB9 RS-232	DB9 RS-232
Transfer Rate	250Kbps	250Kbps	250Kbps	921Kbps	115.2Kbps
Bus Width	x1 lane PCIe	x1 lane PCIe	x1 lane PCIe	x1 lane PCIe	x1 lane PCIe
Power Consumption	3W	3W	3W	3W	3W
Operating Systems	Windows Windows Server	Windows Windows Server	Windows Windows Server	Windows Windows Server	Windows Windows Server
Full/Low Profile	✓	✓	✓	✓	Full Profile
Software CD	✓	✓	✓	✓	✓
Voltage Jumper	2 pcs	4 pcs	2 pcs	4 pcs	-
TAA Compliant	✗	✗	✗	✓	✗



SKU	LB-S00114-S1	NN-E20211-S1	NN-FW0012-S1	NN-400012-S8	NN-E38012-S3
Interface	4x Serial	2x FireWire	3x FireWire	3x FireWire	3x FireWire
Port	DB9 RS-232	FireWire 400	FireWire 800	FireWire 400	FireWire 800
Transfer Rate	115.2Kbps	400Mbps	800Mbps	400Mbps	800Mbps
Bus Width	x1 lane PCIe	x1 lane PCIe	x1 lane PCIe	x16 lane PCI	x1 lane PCIe
Power Consumption	3W	-	-	-	-
Operating Systems	Windows Windows Server	Windows Windows Server	Windows Windows Server	Windows Windows Server Mac OS	Windows Windows Server Mac OS
Full/Low Profile	Full Profile	✓	✓	Full Profile	✓
Software CD	✓	✗	✓	✗	✓
Voltage Jumper	✗	✗	✗	✗	✗
TAA Compliant	✗	✗	✗	✗	✗



SKU	JU-SA0X11-S1	JU-SA0W11-S1	JU-SA0V11-S1	JU-SA0S12-S1
Input	USB-C	USB-C & USB-A	USB-A	USB-A
USB	USB 3.2 Gen 2x2	USB 3.2 Gen 2x1	USB 3.2 Gen 1x1	USB 3.2 Gen 1x1
Transfer Rate	20Gbps	10Gbps	5Gbps	5Gbps
M Key PCIe	✓	✓	✗	✗
SSD	NVMe/AHCI	NVMe	SATA	SATA
UASP	✓	✓	✓	✓
Material	Aluminum	Aluminum	Aluminum + Plastic ABS	Aluminum + Plastic
Other	-	-	-	SD & Micro SD

JU-SA0S12-S1
2.5" USB 3.0 to SATA with SD Reader Enclosure



JU-SA0V11-S1
USB 3.0 to 2.5" Storage Enclosure



Sales Contact
sales@siig.com

31038 Huntwood Ave. Hayward, CA 94544
Phone: (510) 657-8688
www.siig.com

