

Ultra Heavy Duty Single Monitor Arm Desk Mount - 57"

(Part No: CE-MT3Z11-S1)



Features

- A top-notch office design doesn't just offer comfort; it enhances productivity and maximizes desk space. Our Ultra Heavy-duty monitor arm is designed with exceptional features, allowing effortless repositioning of large screens, accommodating most monitors weighing up to 59.5 lbs (27 kg). It seamlessly fits flat, curved, and ultrawide computer monitors with VESA 75x75mm, 100x100mm, 200x100mm, or 200x200mm mounting holes.
- The premium gas spring monitor arm facilitates height adjustment, spanning from 12.8" to 25.8" (325mm to 655mm). It allows for effortless monitor adjustment, adapting to your posture through arm extension, vertical tilt, horizontal swivel, and landscape or portrait rotation. The arm's height even supports the installation of Samsung Ark 55 series in Cockpit Mode (portrait mode).
- Crafted with a compact Ultra Heavy-duty Top Mount C-Clamp metal base, it occupies a mere 4.7" x 4.7" (120mm x 120mm) of desk space. The C-clamp mount supports desk thicknesses of up to 1.8" (45mm) without the Adjustable Reinforcement Plate / 1.4" (37mm) with the Adjustable Reinforcement Plate. Meanwhile, the Grommet mount accommodates desk thicknesses of up to 1.6" (40mm) without the Adjustable Reinforcement Plate / 1.2" (32mm) with the Adjustable Reinforcement Plate.
- The adjustable tilt setting enables easy tilting of monitors up to 57 inches for optimal color reproduction angles. An integrated rotation lock ensures your monitor stays perfectly level, even for monitors with uneven internal weight distribution.

- Included Adjustable Reinforcement Plates enhance tabletop structural integrity, minimizing warping and safeguarding the tabletop surface where the mount contacts. The installed foam pads on the Adjustable Reinforcement Plates total approximately 0.31" (8mm) in thickness.
- A short 31.5" (80cm) USB-C (Male to Female) pass-through cable supports to extend the USB 4 or Thunderbolt 4 devices, offering full-function features including PD 100W charging, DP Alt Mode, and 40Gbps data transfer speed. Additionally, a long 70.9" (180cm) USB-A (Male to Female) cable pass-through supports to extend the USB 3.0 5Gbps devices.

Package Contents

- Ultra Heavy Duty Single Monitor Arm Desk Mount - 57"
- VESA 200x100 / 200x200 Adapter
- Adjustable Reinforcement Plate
- USB-C Male to Female cable
- USB-A Male to Female cable
- Installation kits
- Installation manual

Specifications

Product material	Steel, Aluminum, Plastic
Display size	17 inches to 57 inches, Flat / Curved / Ultra-wide 21:9 / Super Ultra-wide 32:9
Arm	Lift: 12.8~25.8 inches (325mm~655mm) / Extend: 20.7 inches (526 mm) Lower Arm Rotation: 180° (with lock) / 360° (without lock) Upper Arm Rotation: 360°
VESA	75x75mm / 100x100mm / 200x100mm / 200x200mm Swivel: +-90° / Screen Rotation: +-90° / Tilt: Upward 60° / Downward 20°
C-clamp Desk Mount	0.39~1.8 inches (10mm~45mm mm) thick
C-clamp Desk Mount (with Adjustable Reinforcement Plate)	0.39~1.4 inches (10mm~37mm mm) thick
Grommet Desk Mount	0.39~1.6 inches (10~40 mm) thick / Grommet Hole Diameter: 0.39~2.3 inches (10~60mm)
Grommet Desk Mount (with Adjustable Reinforcement Plate)	0.39~1.2 inches (10~32 mm) thick / Grommet Hole Diameter: 0.39~2.3 inches (10~60mm)
Cable Management	2 cables
Weight capacity	Flat: 4.4lbs~59.5lbs (2kg~27kg) / Curved: 4.4lbs~48.5lbs (2kg~22kg)
Thunderbolt 4 Extension Cable Length	USB-C (Male to Female) USB 4 or Thunderbolt 4 functioned / Pass-through (100W / 40Gbps / DP Alt Mode) / 31.5" (80cm)
Add-on Thunderbolt 4 Extension Cable Length (max.) (not included)	47.2" (120cm) / Note: Thunderbolt 4 will only support an absolute maximum of 78.7" (200cm)
USB-A Extension	USB-A (Male to Female), 70.9" (180cm) for USB 5Gbps

Cable Length	
Top Plate Dimension:	7.48" x 6.02" (190mm x 153mm)
Top Plate Slot Opening:	5.12" x 0.43" (130mm x 11mm)
Top Plate Lip Dimensions:	4.72" x 0.59" (120mm x 15mm)
Bottom Plate Dimensions:	5.91" x 2.76" (150mm x 70mm)
Bottom Plate Slot Opening:	1.97" x 0.43" (50mm x 11mm)
Product dimensions	28.7" (W) x 22.8" (H) x 4.7" (D) (730mm x 580mm x 120mm)
Product weight	15.43 lbs (7 kg)
Certifications	RoHS / REACH
Warranty	2 years
Country of origin	China