

USB 3.0 4-Port Aluminum Hub with 2A Charging Port Installation Guide

Introduction

The *USB 3.0 4-Port Aluminum Hub with 2A Charging Port* quickly adds four USB 3.0 ports and one 5V/2A USB charging port to your system.

Key Features and Benefits

- Adds more SuperSpeed USB 3.0 ports to your USB 3.0 enabled system
- Supports ultra-fast data transfer rates of up to 5Gb/s and is backward compatible with USB 2.0 & USB 1.1 devices
- Dedicated 5V/2A USB charging port to charge your portable/mobile devices
- Aluminum housing for excellent heat dissipation
- Built-in over-current protection to protect the hub and connected devices from unforseen power surges

04-0910A

System Requirements

- Desktop or notebook computer with an available USB port (USB 3.0 recommended)
- Windows® 8 (32-/64-bit) / 7 (32-/64-bit) /
 Vista (32-/64-bit) / XP (32-/64-bit) / Server 2003 & 2008 (32-/64-bit) / Server 2008 R2 / Server 2012
- Mac OS® X v10.8 or later

Package Contents

- USB 3.0 4-Port Aluminum Hub with 2A Charging Port
- USB 3.0 cable (Type-A to Type-B)
- 12V/3A Power adapter
- Installation guide



Figure 1: Layout




Figure 2: Layout

Device Connections

- Power adapter jack: Connects the included power adapter here
- **Upstream Port (Type-B)**: Connects to an available USB 3.0 port of the computer using the included USB 3.0 cable
- **Power switch**: To power On/Off the hub
- LED: On to indicates your USB device is connected

- USB 3.0 downstream ports: Connects your USB 3.0 devices here
- Power LED indicator: Indicates the hub is powered
- **USB charging port**: Provides 5V/2A high-efficiency power for charging portable/mobile devices. The USB charging port does not function like a regular USB port, it will only charge your device.

NOTE: This hub only works at USB 3.0 speed when connected to a USB 3.0 host adapter.

USB 3.0 Cable Connectors





Figure 3: Type-A connector (left) & Type-B connector (right)

Installation

- 1. Connect the **Type-B connector** of the included *USB 3.0 cable* to the **Upstream port (Type-B)** of the hub.
- 2. Connect the included *Power adapter* into the hub's **Power adapter jack**, then plug it into a reliable power outlet.
- 3. Plug the **Type-A connector** of the included *USB 3.0 cable* into an available USB port (USB 3.0 recommended) of your computer, and the driver will install automatically.
- 4. Press the **Power switch** to power on the hub.
- 5. The hub is ready for use.

To Verify Windows Installation

1. Right click **This PC** or **Computer** or **My Computer**.

For Windows 8 / 7 / Server 2008 R2 / Server 2012 / Server 2008: Click **Properties** / **Device Manager**.

For Windows Vista: Click Properties / Continue / Device Manager.

<u>For XP / Server 2003</u>: Click **Manage** / **Device Manager**.

2. Double click Universal Serial Bus

When connected to a USB 3.0 host adapter: Generic SuperSpeed USB Hub and Generic USB Hub should be listed.

When connected to a USB 2.0 host adapter: **Generic USB Hub** should be listed.

NOTE: Item name may vary according to the USB host port that you plugged into.

To Verify Mac Installation

- Click the Apple icon on the upper left corner, click About this Mac/More Info/ System Report.
- Under Hardware, click USB.
 USB2.0 Hub or USB3.0 Hub will be listed under USB High-Speed Bus or USB 3.0 SuperSpeed Bus.

Technical Support and Warranty

QUESTIONS? SIIG's Online Support has answers! Simply visit our web site at www.siig.com and click Support. Our online support database is updated daily with new drivers and solutions. Answers to your questions could be just a few clicks away. You can also submit questions online and a technical support analyst will promptly respond.

SIIG offers a 5-year manufacturer warranty with this product. This warranty covers the original purchaser and guarantees the product to be free of any defects in materials or workmanship for five (5) years from the date of purchase of the product.

SIIG will, at our discretion, repair or replace (with an identical product or product having similar features and functionality) the product if defective in materials or workmanship. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Please see our web site for more warranty details.

If you encounter any problems with this product, please follow the procedures below. A) If it is within the store's return policy period, please return the product to the store where you purchased from.

B) If your purchase has passed the store's return policy period, please follow the steps below to have the product repaired or replaced.

Step 1: Submit your RMA request.

Go to www.siig.com, click Support, then REQUEST A PRODUCT REPLACEMENT to submit a request to <u>SIIG RMA</u> or fax a request to <u>510-657-5962</u>. Your RMA request will be processed, if the product is determined to be defective, an RMA number will be issued.

Step 2: After obtaining an RMA number, ship the product.

- Properly pack the product for shipping. All accessories that came with the original package must be included.
- Clearly write your RMA number on the top of the returned package. SIIG will
 refuse to accept any shipping package, and will not be responsible for a product
 returned without an RMA number posted on the outside of the shipping
 carton.
- You are responsible for the cost of shipping to SIIG. Ship the product to the following address:

SIIG, Inc. 6078 Stewart Avenue Fremont, CA 94538-3152, USA RMA #:

 SIIG will ship the repaired or replaced product via Ground in the U.S. and International Economy outside of the U.S. at no cost to the customer.

About SIIG, Inc.

Founded in 1985, SIIG, Inc. is a leading manufacturer of IT connectivity solutions (including Serial ATA and Ultra ATA Controllers, FireWire, USB, and legacy I/O adapters) that bridge the connection between Desktop/Notebook systems and external peripherals. SIIG continues to grow by adding A/V and Digital Signage connectivity solutions to our extensive portfolio. SIIG products offer comprehensive user manuals, many user-friendly features, and are backed by an extensive manufacturer warranty. High quality control standards are evident by the overall ease of installation and compatibility of our products, as well as one of the lowest defective return rates in the industry. SIIG products can be found in computer retail stores, mail order catalogs, through major distributors, system integrators, and VARs in the Americas and the UK, and throughe-commerce sites.

PRODUCT NAME

USB 3.0 4-Port Aluminum Hub with 2A Charging Port

FCC RULES: TESTED TO COMPLY WITH FCC PART 15, CLASS B OPERATING ENVIRONMENT: FOR HOME OR OFFICE USE

FCC COMPLIANCE STATEMENT:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

THE PARTY RESPONSIBLE FOR PRODUCT COMPLIANCE

SIIG, Inc.

6078 Stewart Avenue

Fremont, CA 94538-3152, USA

Phone: 510-657-8688

USB 3.0 4-Port Aluminum Hub with 2A Charging Port is a trademark of SIIG, Inc. SIIG and the SIIG logo are registered trademarks of SIIG, Inc. All other names used in this publication are for identification only and may be trademarks of their respective owners.

September, 2013 Copyright © 2013 by SIIG, Inc. All rights reserved.