



# Bluetooth Wireless Mini Keyboard

## Quick Installation Guide

---

### Introduction

---

The *Bluetooth Wireless Keyboard* is an Ultra-thin mini keyboard which supports Windows/Mac/iOS/Android.

### Key Features and Benefits

- Compliant with Bluetooth version 3.0 (HID profile)
- Compact footprint with 85-key layout for space saving and portability
- 6 media play control function keys (Play/Pause, Previous, Next, Volume Up, Volume Down, Mute)
- Scissor key switch structure gives comfort touch with tactile feedback
- On/Off power switch and smart power management to extend battery life
- Bluetooth link and power indicator LEDs

## System Requirements

- Bluetooth wireless technology enabled computer or tablet PC
- Windows® 8 (32-/64-bit) / 7 (32-/64-bit) / Vista (32-/64-bit) / XP (32-/64-bit)/ Mac OS x 10.6 or later/ iOS 4.0 or later/ Android 3.0 or later

## Package Contents

- Bluetooth Wireless Mini Keyboard
- 2 AAA batteries
- Quick installation guide

## Layout










Figure 1: Front Layout



Figure 2: Back Layout

Refer to the key positions in Figure 1 and the definitions below:

- 1 : Esc key. This key only works under Windows
- 2 : Num Lock key. Press **fn key** and **F6** to enable/disable it
- 9 : Open the web main page for Windows; return to main menu for tablet PC. No function under Mac. Same as 14
- 10 : Search key. Same as 15
- 11 : Backspace key. Delete the left characters of the insertion point
- 12 **fn**: Function key. Works with hotkeys to enable certain functions
- 13 : Windows key. This key only works under Windows
- 16 : Application key. This key only works under Windows. The function is the same as a mouse right click

- 17 **del**: Delete key. Press and hold down the **fn** key and **del** key to delete the characters to the right of the insertion point. It doesn't work under Mac and iOS.

## Multimedia Hoykeys

Hold down the fn key and press the hotkeys below to enable the multimedia functions.

- 3 F7: Previous track
- 4 F8: Play/Pause
- 5 F9: Next track
- 6 F10: Mute
- 7 F11: Volume down
- 8 F12: Volume up

## Installing the Batteries

---

1. Remove the battery cover from the back of the keyboard.
2. Insert the 2 AAA batteries. Make sure the batteries are properly installed.
3. Replace the battery cover.



Figure 3: Installing the Batteries

## Pairing Keyboard

---

1. Enable the source device's Bluetooth function.
2. Power on the Bluetooth keyboard.
3. Press the Bluetooth keyboard's connect button, see Figure 2 on page 3. The Pairing LED should be lit.
4. Launch the source device's Bluetooth pairing/search function.
5. Select and connect to the **Bluetooth Wireless Keyboard**.
6. The connection process should provide a pass code. Use the Bluetooth keyboard to type in the pass code and press Enter.
7. The on-screen message will show the pairing is successful or not. If it's successful, wait while the keyboard is added to the system. When the pairing LED is off, the Bluetooth keyboard is ready for use.

**Note:** Please try these steps several times if not successful the first try.

## Bios Setting

---

The *Bluetooth Wireless Keyboard's* space-saving design requires the dual alpha/numeric function of certain keys. Since the numeric keypad feature is controlled by the **Num Lock** key, an inconvenient situation will occur when using a computer that automatically enables the **Num Lock** key with each boot up. Refer to the following solutions:

1. If your computer's BIOS setup utility has **Num Lock** option, set it to **OFF/Disabled**.
2. If your computer's BIOS setup utility does not have a **Num Lock** option, press **Fn+NumLock** key to turnoff the numeric keypad after each boot up.

**Note:** Please read your system's users manual for changing your BIOS setting.

# Technical Support and Warranty

---

**QUESTIONS?** SIIG's **Online Support** has answers! Simply visit our web site at [www.siig.com](http://www.siig.com) and click **Support**. Our online support database is updated daily with new drivers and solutions. Answers to your questions could be just a few clicks away. You can also submit questions online and a technical support analyst will promptly respond.

SIIG offers a 2-year manufacturer warranty with this product. This warranty covers the original purchaser and guarantees the product to be free of any defects in materials or workmanship for two (2) years from the date of purchase of the product.

SIIG will, at our discretion, repair or replace (with an identical product or product having similar features and functionality) the product if defective in materials or workmanship. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Please see our web site for more warranty details.

If you encounter any problems with this product, please follow the procedures below.

A) If it is within the store's return policy period, please return the product to the store where you purchased from.

B) If your purchase has passed the store's return policy period, please follow the steps below to have the product repaired or replaced.

**Step 1:** Submit your RMA request.

Go to [www.siig.com](http://www.siig.com), click **Support**, then **REQUEST A PRODUCT REPLACEMENT** to submit a request to [SIIG RMA](#) or fax a request to 510-657-5962. Your RMA request will be processed, if the product is determined to be defective, an RMA number will be issued.

**Step 2:** After obtaining an RMA number, ship the product.

- Properly pack the product for shipping. All accessories that came with the original package must be included.
- Clearly write your RMA number on the top of the returned package. SIIG will refuse to accept any shipping package, and will not be responsible for a product returned without an RMA number posted on the outside of the shipping carton.
- You are responsible for the cost of shipping to SIIG. Ship the product to the following address:

**SIIG, Inc.**  
6078 Stewart Avenue  
Fremont, CA 94538-3152, USA  
RMA #: \_\_\_\_\_

- SIIG will ship the repaired or replaced product via Ground in the U.S. and International Economy outside of the U.S. at no cost to the customer.

## About SIIG, Inc.

---

Founded in 1985, SIIG, Inc. is a leading manufacturer of IT connectivity solutions (including Serial ATA and Ultra ATA Controllers, FireWire, USB, and legacy I/O adapters) that bridge the connection between Desktop/ Notebook systems and external peripherals. SIIG continues to grow by adding A/V and Digital Signage connectivity solutions to our extensive portfolio.

SIIG products offer comprehensive user manuals, many user-friendly features, and are backed by an extensive manufacturer warranty. High quality control standards are evident by the overall ease of installation and compatibility of our products, as well as one of the lowest defective return rates in the industry. SIIG products can be found in computer retail stores, mail order catalogs, through major distributors, system integrators, and VARs in the Americas and the UK, and through e-commerce sites.

### **PRODUCT NAME**

Bluetooth Wireless Mini Keyboard

FCC RULES: TESTED TO COMPLY WITH FCC PART 15, CLASS B  
OPERATING ENVIRONMENT: FOR HOME OR OFFICE USE

### **FCC COMPLIANCE STATEMENT:**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

### **THE PARTY RESPONSIBLE FOR PRODUCT COMPLIANCE**

SIIG, Inc.  
6078 Stewart Avenue  
Fremont, CA 94538-3152, USA  
Phone: 510-657-8688

Bluetooth Wireless Mini Keyboard is a trademark of SIIG, Inc. SIIG and the SIIG logo are registered trademarks of SIIG, Inc. Microsoft and Windows are registered trademarks of Microsoft Corporation. All other names used in this publication are for identification only and may be trademarks of their respective owners.

January, 2013

Copyright © 2013 by SIIG, Inc. All rights reserved.